



TRIANGLE
MANUFACTURE ELECTROACOUSTIQUE

NEW



THE NEW LN01A PACK

New, this ready-to-listen pack features a turntable and a pair of amplified speakers. It is developed by the TRIANGLE teams to allow easy, high quality listening. This turntable is designed in partnership with Pro-Ject to bring the best out of your favourite vinyl records.

WWW.TRIANGLEHIFI.COM



MATT WHITE



MATT BLACK

The active speakers LN01A have a multitude of connectors enabling you to listen to your music from any source (Bluetooth AptX, RCA, 3.5 jack, optical, phono, as well as a subwoofer output). This pack brings vinyl records in the spotlight and is offered in full black or white. Enjoy a powerful sound (2x50W) of hi-fi quality, in perfect harmony with your interior.



Designed by Pro-Ject, the TRIANGLE turntable is compatible with 33 and 45 rpm records. It features a belt drive, an aluminium tonearm with sapphire bearings and a low vibration motor. The tonearm and the cartridge are pre-mounted to allow a relatively simple setup.

This turntable is specifically developed to pair with the LN01A speakers, thanks to its Ortofon OM-10 E cartridge and its high sensitivity (output voltage: 4 mV). The included Pro-Ject Connect It E phono cable ensures an excellent signal quality up to the dedicated phono jack of the LN01A speakers. This is because it benefits from high purity oxygen-free copper (HP-OFC) conductors and gold-plated RCA connectors.

FEATURES



Elara	LN01A
Type	Active, Bass-Reflex
Ways	2
Sensitivity (dB/M)	89
Bandwidth (+3dB Hz-KHz)	56-22
Power Handling (W)	2x50
Inputs	RCA, AUX, Optical, Phono, Bluetooth 4.0 A2DP AptX
Output	Subwoofer
Dimensions (mm)	165x235x291
Speaker weight (kg)	9.5



FEATURES



Pro-Ject	Triangle Turntable
Type	33 and 45 rpm, manual speed change, belt drive
Platter	MDF
Tonearm	Straight, aluminium
Effective arm length	8.6 inches (21.8cm)
Effective tonearm mass	8 grams
Overhang	22mm
Cartridge	Ortofon OM-10e
Output voltage	(1000 Hz, 5 cm/sec.) : 4 mV
Bandwidth	20 - 25 000 Hz
Tracking force range	1,25 - 1,75 g (12,5 - 17,5 mN)
Recommended tracking force range	1,25 g (12,5 mN)
Tracking angle	20°
Dust cover included	Yes
RCA cable	Pro-Ject Connect It E - gold-plated connectors
Dimensions (mm)	420x112x330
Net Weight (kg)	4

ADDITIONAL INFORMATION:

Website : <http://triangle-fr.com/fr/ln01a>
Marketing database : triangle-marketing.com
Login : triangle001
Password : magellan001
Contact : antony.soury@trianglehifi.com

Attached: a set of low definition presentation pictures (optimised for the Web). We remain at your disposal should you need any additional information.